Total Distance/Total Amount/Position(Cartesian) - MC

- 80. Insects destroyed a crop at the rate of $\frac{100e^{-0.1t}}{2-e^{-3t}}$ tons per day, where time t is measured in days. To the nearest ton, how many tons did the insects destroy during the time interval $7 \le t \le 14$?
 - A) 125
- B) 100
- C) 88
- D) 50
- E) 12

- 82. The rate of change of the altitude of a hot-air balloon is given by $r(t) = t^3 4t^2 + 6$ for $0 \le t \le 8$. Which of the following expressions gives the change in altitude of the balloon during the time the altitude is decreasing?
- A) $\int_{1.572}^{3.514} r(t)dt$
- $B) \int_0^8 r(t)dt$
- C) $\int_0^{2.667} r(t) dt$
- $D) \int_{1.572}^{3.514} r'(t) dt$
- $E)\int_0^{2.667} r'(t)dt$
- 77. Water is pumped out of a lake at the rate $R(t) = 12\sqrt{\frac{t}{t+1}}$ cubic meters per minute, where t is measured in minutes. How much water is pumped from time t = 0 to t = 5?
 - A) 9.439 cubic meters
 - B) 10.954 cubic meters
 - C) 43.816 cubic meters
 - D) 47.193 cubic meters
 - E) 54.772 cubic meters

- An object traveling in a straight line has position x(t) at time $t \ge 0$. If the initial position 87. is x(0) = 2 and the velocity of the object is $v(t) = \sqrt[3]{1+t^2}$, what is the position of the object at time t = 3?

 - A) .431 B) 2.154
- C) 4.512
- D) 6.512
- E) 17.408
- A particle moves along a line so that its acceleration for $t \ge 0$ is given by $a(t) = \frac{t+3}{\sqrt{t^3+1}}$. 89. If the particle's velocity at t = 0 is 5m, what is the velocity of the particle at t = 3?
 - A) 0.713 B) 1.134
- C) 6.134
- D) 6.710
- E) 11.710

- 87. A particle moves along the x-axis so that at any time $t \ge 0$, its velocity is given by $v(t) = cos(2 - t^2)$. The position of the particle is 3 at time t = 0. What is the position of the particle when its velocity is first equal to 0?
 - A) 0.411 B) 1.310
- C) 2.816
- D) 3.091
- E) 3.411