

# Zero and Negative Exponents

1) Use your calculator to find each of the following values:

$a. \quad 4^0 =$        $b. \quad 6^0 =$        $c. \quad 7^0 =$        $d. \quad 52^0 =$

2) What seems to be the value for *any base to the zero power*?

3) Make a table of values for the following function?       $f(x) = 2(3)^x$

x	0	1	2	3	4	5	6
f(x)							

4) Why does it make sense in the equation that  $3^0$  is 1?

$$f(x) = 6(3)^x \quad f(x) = 9(2)^x \quad f(x) = 5(4)^x \quad f(x) = 10(5)^x$$

- 1) Of the functions given above, which grows the fastest? Explain.
- 2) Of the functions given above, which graph would cross the y-axis at the highest value? Explain.
- 3) What differences would you see in the table of values for the two functions given below?

$$f(x) = 10(5)^x \quad f(x) = 5(10)^x$$

Suppose you are on a team studying the growth of bacteria in a laboratory experiment. At the start of your work shift(8 am) in the lab, **there are 400 bacteria** in one petri dish culture, and the population seems to be **doubling every day**.

1) Write a rule that should predict the number of bacteria in the culture at a time  $x$  days after the start of your work shift?

2) Complete the table below

$x$	-3	-2	-1	0	1	2	3
$f(x)$							

3) What do the negative values in the table mean in the context of the problem?

Suppose you are on a team studying the growth of bacteria in a laboratory experiment. At the start of your work shift(8 am) in the lab, **there are 90 bacteria** in one petri dish culture, and the population seems to be **tripling every 20 minutes**.

1) Write a **function rule** and a **recursive rule** that should predict the number of bacteria in the culture at a time  $x$  hours after the start of your work shift?

2) Complete the table below

x	-3	-2	-1	0	1	2	3
f(x)							

3) What do the negative values in the table mean in the context of the problem?

4) How much bacteria is there after 2 hours?

5) When will the bacteria reach 10000?